AMINA-ZiBoMo is a liquid fertilizer of micronutrientsamino acids which contains zinc, boron, molybdenum and organic nitrogen. Thanks to its synthesis, AMINA-ZiBoMo is easily and quickly assimilated by plants and therefore it achieves a quick correction of zinc, boron and molybdenum deficiencies as well as an enhancement of the growth of the plant.

PROPERTIES - USES

AMINA-ZiBoMo can be applied on all crops offering the following benefits:

- * Corrects quickly and efficiently zinc, boron and molybdenum deficiencies.
- * Stimulates plant growth
- * Enhances the fruit set capacity of plants.
- * Contributes to the creation and renewal of plant cells and as a result it promotes the formation of new
- * Increases the potential of the crops and achieves higher yields.

STORAGE

Store sealed well in its original container. Keep it at a dry place far from frost, high temperatures and intense sun light. Keep out of the reach of pets.

KEEP OUT OF THE REACH OF CHILDREN

CAUTION



Hazard statements

H315: Causes skin irritation.

H319: Causes serious eye irritation.

Precautionary statements

P264: Wash ... thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap

P321: Specific treatment (see ... on this label).

P332+P313: If skin irritation occurs: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313: If eve irritation persists: Get medical advice/attention.

It contains: 2-aminoethanolethanolamine

Liquid Micronutrients Fertilizer with Amino acids

AMINA



SYNTHESIS	(% w/w)	(% w/v)
Zinc (Zn)	3,28	3,8
(equal in ZnO)	4,00	4,7
Boron (B)	0,70	0,8
(equal in H ₃ BO ₃)	4,00	4,7
Molybdenum (Mo)	0,73	0,8
(equal in Na ₂ MoO ₄ -2H ₂ O)	1,90	2,2
Nitrogen (N)	1,00	1,2
Organic-N	1,00	1,2
L-Amino acids	5,00	5,9
pH		7,8-8,3

- For the cure and prevention of zinc, boron and molybdenum deficiencies
- · Suitable for foliar sprays and fertigations



crops

Conductivity (mS/cm)

Salinity (ppt)

PRODUCED BY





34.1

21.6

Net Content

1 Ermou & Theotokopoulou str., Metamorphosis, Greece Tel. +30 210 284 5891, Fax. +30 210 281 7971 E-mail: info@humofert.gr Web Site: www.humofert.gr

APPLICATIONS-APPLICATION RATE

AMINA-ZiBoMo is suitable for foliar sprays and soil applications through the drip irrigation system. The exact application rates must be adjusted according to the agesize of the plant, the variety of the plant, the type of the soil and other local conditions

Foliar application

Horticulture: 5 l/ha

Dilute in an appropriate volume of water according to the following application rates and spray. In any case, the maximum dilution rate must not exceed 1 liter per 300 liters of water.

Cole crops: 5-7.5 l/ha Vegetables: 5 l/ha Fruit trees: 2-4 I/ha Nut trees: 1-4 I/ha Vinevard: 1-4 I/ha Cereals: 1-2 I/ha Corn, Cotton: 1-2 l/ha Fodders: 2 I/ha Tobacco: 1-2 I/ha Ornamentals: 2 I/ha

Soil application

Horticulture, Vegetables: 5-10 l/ha

Fruit trees: 0.7-1 I/ha Nut trees: 25-50 ml/tree Vineyard: 7.5-10 I/ha Cotton: 2-4 I/ha Tobacco: 2-5 I/ha

Ornamentals: 3-10 ml/plant

COMPATIBILITY

It can be mixed with most fertilizers and agrochemical products without generating sediment or burns. Follow the instructions of the pesticide manufacturers before mixing with AMINA-ZiBoMo. In any case it is recommended to conduct a test of compatibility before mixing in the tank.

Apply only during the cool hours of the day. Do not apply on crops suffering of stress caused by extreme temperatures, strong winds etc. Avoid foliar applications during strong wind, impending rainfall and intense sunlight.

SHAKE WELL BEFORE EACH USE

